



UP200Ht – A Powerful and Smart Ultrasonic Lab Device

| | | |
|--------------------------------------|--|---|
| <p>Ultrasonic Device UP200Ht</p> |  <p>UP200Ht – comfortable use as handheld homogenizer</p> |  <p>UP200Ht with acrylic sound protection box</p> |
| <p>Technical Details</p> | <p>UP200Ht: 200 watts, 26kHz; for handheld and stand-mounted use; automatic frequency tuning, amplitude adjustable from 20 to 100%, pulse adjustable from 0 to 100%, with colored touch-screen & digital control, operation and control via LAN, automatic data recording, dry running protected, IP41 grade, titanium horn Ø 10mm, amplitude at horn 70µm, in portable case</p> | |
| <p>Application</p> | <p>Homogenization, Dispersing & Deagglomeration (e.g. nano particles), Emulsifying, Lysis & Cell Disintegration, Extraction, Degassing, Sonochemistry</p> | |
| <p>Advantages</p> | <p>Performance: With 200 watts power, the UP200Ht is much more powerful than an ultrasonic bath or tank. Flexibility: For handheld or stand-mounted use, with various accessories for optimal adaption to your process. Comfortable Operation: The light-weight device is ergonomically designed. The operation settings can be adjusted via the colored touch-screen. All functions are easily and intuitively reachable through one main menu. Quality: The UP200Ht device fullfills the highest quality standards. All devices are designed, engineered and manufactured in Germany.</p> | |

Items:

- Ultrasonic Processor UP200Ht ◦ 115 volts ◦ 230 volts
- Sonotrode S26d2 (tip diameter 2mm)
- Sonotrode S26d7 (tip diameter 7mm)
- Sonotrode S26d14 (tip diameter 14mm)
- Stand ST1-12
- Sound Protection Box SPB-L, made from acryl glass



color touch-screen